

INDEX

Symbols

`$*`, 424
`$@`, 424
`$!`, 492
`$#`, 421
`$0`, 423
`${!array[*]}`, 466
`${!array[@]}`, 466
`${!prefix*}`, 444
`${!prefix@}`, 444
`#{#parameter}`, 445
`#{parameter,pattern}`, 448
`#{parameter,,pattern}`, 448
`#{parameter#pattern}`, 445–446
`#{parameter##pattern}`, 445–446
`#{parameter%pattern}`, 446
`#{parameter%%pattern}`, 446
`#{parameter^pattern}`, 448
`#{parameter^^pattern}`, 448
`#{parameter/pattern/string}`, 446
`#{parameter//pattern/string}`, 446
`#{parameter/#pattern/string}`, 446
`#{parameter/%pattern/string}`, 446
`#{parameter:-word}`, 443
 `:?word`, 443–444
 `:+word`, 444
 `:word`, 443
`$((expression))`, 449
`/`, 21
`#` (hash mark), 4
`&&`, 373–374, 385
`||`, 373–374
`(())` compound command, 370–371,
 385, 449, 454
`[[]]` compound command, 369–372,
 385, 391
`[` command, 401
`~/config`, 22
`~/local`, 22

A

`a2ps` command, 315–317
absolute pathnames, 11
`alias` command, 48–50, 123
aliases, 42, 48–50
alternation, 246
American National Standards Institute
 (ANSI), 156
American Standard Code for
 Information Interchange.
 See ASCII
anchors, 239–240
anonymous FTP servers, 196
ANSI (American National Standards
 Institute), 156
ANSI escape codes, 157
`ANSI.SYS`, 156
Apache web server, 113
AppImages package format, 171
`apropos` command, 46
`apt-cache` command, 167
`apt-get` command, 167
`aptitude` command, 166
`apt update` command, 166
Arch, 164
archiving, 223
arithmetic expansion, 68–69, 72, 347,
 441, 449–456
arithmetic expressions, 68–69, 438,
 449–450
arithmetic operators, 68, 450
arithmetic truth tests, 370, 449
arrays
 appending values to end, 467
 assessing elements of, 463–464
 assigning elements with `read`
 command, 466
 assigning values, 462–463
 associative, 471–473, 477

- arrays (*continued*)
 - creating, 462
 - deleting, 470
 - determine number of elements, 465–466
 - finding used subscripts, 466
 - index, 462
 - multidimensional, 462, 472–473
 - outputting entire contents of, 465
 - reading files into, 467–468
 - reading variables into, 380
 - slicing, 469
 - sorting, 469–470
 - subscript, 462
 - two-dimensional, 462
 - ASCII (American Standard Code for Information Interchange), 74–75, 79, 215–216, 242, 315
 - bell character, 154
 - collation order, 242–243
 - control codes, 74–75, 242–243, 311
 - groff output driver, 304
 - null character, 215–216
 - text, 19
 - aspell command, 286–289
 - assembler, 322
 - assembly language, 322
 - assignment operators, 452
 - associative arrays, 471–473
 - asynchronous execution, 491–492
 - audio CDs, 188
 - Automatic Private IP Addressing (APIPA), 195
 - AWK programming language, 286, 457
- B**
- back references, 282
 - backslash-escaped special characters, 154
 - backslash escape sequences, 74–75
 - backups, incremental, 226
 - basename command, 423
 - bash (shell), 3, 122
 - error handling in, 404–405
 - man page, 47
 - .bash_history*, 81
 - .bash_login*, 124
 - .bash_profile*, 124–126
 - .bashrc*, 125, 336, 360, 423
 - basic regular expressions, 245, 252, 283–284
 - bc command, 456–459
 - Berkeley Software Distribution (BSD), 314
 - bg command, 111
 - /bin*, 21
 - binary, 89–90, 93, 322, 450
 - bit mask, 93
 - bit operators, 453–454
 - /boot*, 21
 - /boot/grub/grub.conf*, 21
 - /boot/vmlinuz*, 21
 - Bourne, Steve, 3
 - brace expansion, 69–70, 72, 436
 - bracket expressions, 240
 - branching, 361
 - break command, 392–393, 429
 - broken links, 38
 - BSD (Berkeley Software Distribution), 314
 - BSD style, 106
 - buffering, 178
 - bugs, 407–408
 - build environment, 327
 - bzip2 command, 222–223
- C**
- C++, 322
 - cancel command, 319
 - carriage return, 19, 75, 154, 243, 257, 285, 313
 - case compound command
 - overview, 414–415
 - patterns used by, 415–417
 - performing multiple actions, 417–418
 - case conversion, 447–449
 - cat command, 56, 257–258
 - cd command, 11, 13
 - cdrecord command, 188
 - CD-ROMs, 187–189
 - cdrtools package, 188
 - character classes, 26, 240–241, 247, 278, 285
 - character ranges, 28, 241–242, 285
 - checksums, 190
 - chgrp command, 98

- child process, 104, 126–128
- chmod command, 89–92, 99, 335
- chown command, 98
- Chrome, 341
- chronological sorting, 263
- cleartext, 196, 198
- client-server architecture, 492
- COBOL programming language, 322
- code injection attacks, 483
- collation order, 124, 244, 278
 - ASCII, 244, 367
 - traditional, 244
- command history, 4, 81–84
- command line
 - arguments, 421
 - editing, 5, 78–80
 - expansion, 65–71
 - history, 4, 81–84
 - interfaces, xxviii, 27
- command options, 16
- commands
 - arguments, 16, 421
 - determining type, 42
 - documentation, 43–48
 - executable program files, 43, 323
 - executing as another user, 95–97
 - group, 54
 - long options, 16
 - options, 16
- command substitution, 71, 72, 437
- comma operator, 456
- comm command, 273–274
- comments, 125, 132, 285, 335, 409
- Common Unix Printing System (CUPS), 312
- comparison operators, 454
- compiler, 323
- compiling, 322–323
- completion, 80–81
- compound commands
 - (()), 370–371, 385, 449, 454
 - [[]], 369–372, 385, 391
 - case, 414–418
 - for, 435
 - if, 362
 - until, 396
 - while, 390–392
- compression algorithms, 220
- conditional expressions, 403
- configuration files, 19, 21, 121
 - ./configure, 327
- configure command, 327
- constants, 345
- continue command, 392–393
- control characters, 155, 257
- controlling terminal, 104
- control operators
 - &&, 373–374, 385
 - ||, 373–374
- conversion specifications, 299
- COPYING* (documentation file), 326
- copying and pasting
 - on command line, 79–80
 - in vim, 143–144
 - with X Window System, 5
- coreutils package, 47, 268
- counting words in files, 60
- cp command, 29–30, 34, 129, 202
- C programming language, 322, 438, 452, 454
- CPU, 103, 322
- cron job, 207
- crossword puzzles, 239–240
- csplit command, 289
- CUPS (Common Unix Printing System), 312
- curl command, 197–198
- cursor movement, 78
- cut command, 266–268, 446–447
- cutting and pasting, on command line, 79–80

D

- daemon programs, 104, 113
- data compression, 220
- data redundancy, 220
- data validation, 369
- date command, 5
- date formats, 263
- dd command, 187
- Debian, 164, 321
- Debian style (*.deb*), 164
- debugging, 357–359, 408–411
- declare command, 448
- defensive programming, 403–407, 408
- delimiters, 73, 261, 264

- dependencies, 165, 329
- design, 407
 - /dev/cdrom*, 179
 - /dev/dvd*, 179
 - /dev/floppy*, 179
- device drivers, 172, 322
- device names, 178–181
- device nodes, 21
 - /dev/null*, 56
- df command, 6, 359
- DHCP (Dynamic Host Configuration Protocol), 194
- dictionary collation order, 243
- diction program, 324–325
- diff command, 274
- Digital Restrictions Management (DRM), 165
- directories, 11, 94–95
 - copying, 29–30
 - creating, 28, 34
 - current working, 10
 - defined, 9
 - deleting, 31–32, 38–39
 - hierarchical, 9
 - home, 21, 359
 - on Linux systems, 21–22
 - listing, 15
 - moving, 30–31, 35
 - navigating, 9
 - OLDPWD variable, 124
 - parent, 10
 - PATH variable, 124
 - PWD variable, 124
 - removing, 31–32, 38–39
 - renaming, 30–31, 35
 - root, 9
 - shared, 99–100
 - synchronizing, 230–233
 - transferring over networks, 219
 - viewing contents, 11
- disk partitions, 175
- DISPLAY variable, 123
- distribution-independent package formats, 171
- dnf program, 166
- Dolphin, 27, 92
- dos2unix command, 258
- . (dot) and .. (dot dot) notation, 11–12
- dot files, 28
- dot-matrix printing, 310
- dpkg command, 166
- DRM (Digital Restrictions Management), 165
- du command, 260, 359
- Dynamic Host Configuration Protocol (DHCP), 194

E

- echo command, 66, 123, 342
 - e option, 75
 - n option, 379
- edge and corner cases, 408
- EDITOR variable, 123
- elif statements, 368
- email, 256
- embedded systems, 322
- empty variables, 443–444
- encrypted tunnels, 201
- encryption, 278
- end of file, 57, 348
- encrypt command, 317
- environment, 121–122, 384
 - aliases, 122
 - child processes inheriting, 126–128
 - establishing, 124–126
 - examining, 122–123
 - launching program with temporary, 128
 - shell functions, 122
 - subshells, 480
 - variables, 122
- eqn command, 302
- error handling in bash, 404–405
- ERR trap, 489
 - /etc*, 21
 - /etc/bash.bashrc*, 125
 - /etc/crontab*, 21
 - /etc/fstab*, 21, 174, 186
 - /etc/group*, 87
 - /etc/passwd*, 21, 264, 268, 382–383
 - /etc/profile*, 124
 - /etc/shadow*, 87
 - /etc/sudoers*, 95
- eval command, 482–483

- executable files, 328
 - executable programs, 42, 323
 - determining location, 43
 - PATH variable, 124
 - exit command, 6, 366, 387
 - exit status, 362–363, 366
 - EXIT trap, 489
 - expand command, 268
 - expansions, 65–71
 - arithmetic, 68–69, 347, 441, 449–456
 - brace, 69–70, 72, 436
 - command substitution, 71
 - errors resulting from, 402
 - history, 83–84
 - parameter, 70, 345, 350
 - pathname, 72, 436
 - tilde, 68, 72
 - word-splitting, 72
 - expressions
 - arithmetic, 68–69, 450, 462
 - in test command, 364
 - ext4 filesystem, 185
 - extended regular expressions, 245
 - Extensible Markup Language (XML), 256
- F**
- false command, 363
 - fg command, 110
 - FIFO (first-in, first-out), 492
 - file command, 18
 - file descriptor, 55
 - file extensions, 13
 - filenames, 215–216
 - case sensitive, 13
 - embedded spaces in, 13, 250
 - leading hyphens, 406
 - POSIX Portable Filename Character Set, 406
 - problems with, 405–406
 - files
 - access, 86
 - archiving, 227
 - attributes, 87–88
 - block special, 88
 - block special device, 208
 - changing file mode, 89–92
 - changing owner and group owner, 98
 - character special, 88
 - character special device, 208
 - configuration, 19, 256
 - copying, 34–35
 - copying over networks, 195–198
 - creating empty, 53
 - .deb*, 164
 - deleting, 31–32, 38–39, 213
 - determining type of, 18
 - device nodes, 21
 - execution access, 87
 - expressions, 364–366
 - finding, 205
 - hidden, 13
 - ISO image, 187–189
 - listing, 15
 - mode, 88
 - moving, 30–31, 35
 - owner, 89
 - permissions, 86
 - read access, 87
 - regular, 208
 - removing, 31–32, 38–39
 - renaming, 30–31, 35
 - .rpm*, 164
 - shared library, 22
 - symbolic links, 208
 - synchronizing, 230–233
 - temporary, 490
 - text, 19
 - transferring over networks, 195–198, 227, 232–233
 - truncating, 53
 - type, 87–88
 - viewing contents, 19
 - write access, 87
 - filesystem corruption, 178
 - filesystem tree, 9–10
 - File Transfer Protocol (FTP), 195–197
 - filters, 58–59
 - find command, 207–218, 226
 - Firefox, 341
 - first-in, first-out (FIFO), 492
 - flash drives, 176–177
 - Flatpaks package format, 171
 - floppy disks, 179

- flow control
 - branching, 361
 - case compound command, 414–418
 - endless loop, 393
 - elif statement, 368
 - for compound command, 435
 - for loop, 435
 - function statement, 354
 - if compound command, 362
 - menu-driven, 385
 - reading files with `while` and `until` loops, 397
 - terminating loops, 392
 - traps, 487–489
 - until loop, 396
 - while loop, 391–392
- `fmt` command, 295–298
- focus policy, 5
- `fold` command, 294–295
- for compound command, 435
- Fortran programming language, 322, 438
- `free` command, 6, 178, 201
- Free Software Foundation, xxxi
- `fsck` command, 186
- FTP (File Transfer Protocol), 195–197
- `ftp` command, 195–197, 202, 324, 349
- FTP servers, 195, 349
- `FUNCNAME` variable, 423
- function statement, 353

G

- `gcc` (compiler), 323
- `gedit` command, 109, 129
- `genisoimage` command, 188
- `getopts` shell builtin, 427–428
- Ghostscript, 312
- `gid` (primary group ID), 87
- global variables, 355
- globbing, 26
- GNOME, 4, 27, 39, 92, 129, 203
- `gnome-terminal`, 4
- GNU binutils package, 437
- GNU C Compiler, 323
- GNU coreutils package, 48
- GNU/Linux, xxxi
- GNU Project, xxxi, 16, 47–48, 324–325

- graphical user interface (GUI), xxviii, 5, 27, 39, 78, 92, 123
- `grep` command, 60–61, 236–237, 383
- `groff` command, 302–307
- group commands, 54, 356–357, 476–480
- groups
 - effective group ID (`gid`), 94
 - `setgid`, 94
 - of users, 86
- GUI (graphical user interface), xxviii, 5, 27, 39, 78, 92, 123
- `gunzip` command, 220–221
- `gzip` command, 48, 220–222

H

- `halt` command, 116
- hard disks, 173
- hard links, 23, 33, 36
 - creating, 36
 - listing, 36
- hash mark (`#`), 4
- `head` command, 61–62
- header files, 326
- “Hello World!” program, 334–336
- `help` command, 43–45
- here documents, 348
- here strings, 383
- hexadecimal, 90, 450
- hidden files, 13, 28, 67
- hierarchical directory structure, 9
- high-level programming languages, 322
- history
 - expansion, 83–84
 - searching, 82–83
- `history` command, 81–84
- `/home`, 21
- home directories, 21, 87
- home directory, 10, 13, 68, 96, 123
- `HOME` variable, 123
- hostname, 154
- HTML (Hypertext Markup Language), 256, 286, 303, 341, 352

I

- ICMP `ECHO_REQUEST`, 192
- `id` command, 86
- IDE, 179

- if compound command, 125, 401, 413
- ifconfig command, 194
- IFS (Internal Field Separator) variable, 382–384
- incremental backups, 226
- info files, 47–48
- init program, 104
 - scripts, 104
- inodes, 35
- input, verifying, 406–407
- INSTALL* (documentation file), 326
- installation wizard, 164
- integers
 - arithmetic, 68, 456
 - division, 69, 450–451
 - expressions, 368–369
- interactivity, 377
- Internal Field Separator (IFS) variable, 382–384
- interpreted languages, 323
- interpreted programs, 323
- interpreter, 323
- interprocess communication, 492
- I/O redirection, 51. *See also* redirection
- ip command, 194
- iso9660 (device type), 189
- ISO images, 187–189

J

- job numbers, 110
- jobs command, 110
- jobspec, 110
- join command, 270–272
- Joliet extensions, 188
- Joy, Bill, 136

K

- kate command, 129
- KDE, 4, 27, 39, 92, 129, 203
- kedit command, 129
- kernel, xxxi, 21, 113, 179
- key fields, 261
- key-value pairs, 472–473
- killall command, 115–116
- kill command, 113–115
- killing text, 79–80
- kill-ring, 79
- Knuth, Donald, 302

- Konqueror, 27
- konsole (terminal emulator), 4
- kwriteln command, 109, 129

L

- LANG variable, 124, 243, 244
- less command, 19–20, 58, 229, 251
- lftp command, 197
- /lib*, 21
- libraries, 323
- LibreOffice Writer, 19
- line-continuation character, 285, 337–338
- line editors, 136
- linker (program), 323
- linking (process), 323
- links
 - broken, 38
 - creating, 32–33
 - hard, 23, 33
 - symbolic, 23, 33
- Linux
 - directories in filesystem, 21–22
 - Windows vs., 63
- Linux community, 163
- Linux distributions, 163
 - Arch, 164
 - CentOS, 164
 - Debian, 164, 321
 - Fedora, xxx, 87, 164
 - Gentoo, 164
 - Linux Mint, 164
 - OpenSUSE, xxx, 164
 - packaging systems, 163
 - Raspberry Pi OS, 164
 - Red Hat Enterprise Linux, 164
 - sudo and, 97
 - Ubuntu, xxx, 164
- Linux Filesystem Hierarchy Standard, 20, 337
- Linux kernel, xxvii, 21, 113, 172, 179, 276, 330
- literal characters, 237–238
- live CDs, xxxi
- ln command, 32–33
- locale, 243, 244, 278, 367
- locale command, 244
- localhost, 199

- local variables, 355–356
- locate command, 206–207, 251
- logical errors, 403
- logical operations, 371–373
- logical operators, 210–212
- logical pages, 292
- logical relationships, 210–213
- Logical Volume Manager (LVM), 173
- login prompt, 196
- login shell, 87
- long options, 16
- loopback interface, 194
- looping, 389
- loops, 403, 451, 453, 473
- lossless compression, 220
- lossy compression, 220
- /lost+found*, 21
- lowercase to uppercase conversion, 448–449
- lp command, 315
- lpq command, 318–319
- lpr command, 314
- lprm command, 319
- lpstat command, 317–318
- ls command, 11, 15–18
 - common options, 19
 - long format, 17–18
 - long listing fields for, 18
 - viewing file attributes, 87
- Lukyanov, Alexander, 197
- LVM (Logical Volume Manager), 173

M

- machine language, 322
- macro packages, 303
- maintenance, 337, 343, 344, 351
- make command, 328
- makefile, 327–328
- man command, 45–46
- man pages, 45, 303
- mapfile command, 467–468
- markup languages, 256, 303
- /media*, 21
- memory
 - assigned to each process, 100
 - displaying free, 6
 - Resident Set Size (RSS), 106
 - segmentation violation, 115

- usage, 106
 - viewing usage, 117
 - virtual, 106
- metacharacters, 238
- metadata, 165
- meta key, 79–80
- meta sequences, 238
- mice and focus, 5
- mkdir command, 28, 34
- mkfifo command, 493
- mkfs command, 185–186
- mkisofs command, 188
- mktemp command, 455
- mnemonics, 322
- /mnt*, 22
- modal editor, 138
- monospaced fonts, 313
- Moolenaar, Bram, 136
- more command, 20
- mount command, 175, 189
- mounting storage devices, 174–181
- mount points, 21, 175–176
- MP3 files, 99
- multiple-choice decisions, 413
- multitasking, 85, 103, 491
- multiuser systems, 85
- mv command, 30–31, 35

N

- named pipes, 492–493
- nano command, 136
- Nautilus, 27
- networking, 191
 - default route, 195
 - DHCP, 194
 - encrypted tunnels, 201
 - examine network settings and statistics, 194
 - firewalls, 192
 - FTP, 195–197
 - LAN, 195
 - man-in-the-middle attacks, 199
 - routers, 194
 - tracing route to hosts, 193–194
 - transferring files, 230–233
 - transporting files, 195–198
 - VPN, 201

- newline character, 154
- newlines, 73
- NEWS (documentation file), 326
- nice command, 112
- niceness, 111–112
- n! command, 292–294
- nohup command, 115
- normalizing user input, 448
- nroff command, 302
- NTFS filesystem, 185
- null character, 215–216
- number bases, 449–450

O

- octal, 89–90, 450, 464
- Ogg Vorbis, 99
- OLDPWD variable, 124
- OpenSSH, 199
- operators
 - assignment, 452
 - binary, 402
 - comma, 456
 - comparison, 454
- /opt*, 22
- owning files, 86

P

- package files, 164
- package maintainers, 165
- package management, 163
 - Debian style (*.deb*), 164
 - finding packages, 167
 - high-level tools, 166
 - installing packages, 167–168
 - low-level tools, 166
 - package repositories, 165
 - Red Hat style (*.rpm*), 164
 - removing packages, 168
 - updating packages, 168
- packaging systems, 163
- page description language, 257, 304, 311–312
- paggers, 20
- PAGER variable, 124
- parameter expansion, 70, 72, 349, 442–449, 469
- parent process, 104

- passwd command, 100–101
- passwords, 100–101
- paste command, 269–270
- PATA hard drives, 179
- patch command, 276–277
- patches, 274
- pathname expansion, 66, 72, 436
- pathnames, 11, 80–81, 250
- PATH variable, 124, 126, 336, 353
- PDF (Portable Document Format), 305, 314
- Perl programming language, 42, 236, 286, 323, 457
- permissions, 334
- PHP programming language, 323
- PID (process ID), 104
- ping command, 192–193
- pipelines, 58–62, 71, 383–384
- portability, 327, 373
- portable, 360
- Portable Document Format (PDF), 305, 314
- positional parameters, 420, 442
- POSIX (Portable Operating System Interface), 188, 242–245, 373
 - character classes, 26, 242–244
 - error handling in, 404–405
- PostScript, 257, 304–305, 312, 315
- poweroff command, 116
- pr command, 298, 313
- primary group ID (gid), 87
- printable characters, 243
- printenv command, 70, 122
- printer buffers, 178
- printf command, 299–301, 440
- printing
 - determining system status, 318
 - history of, 310–312
 - Internet Printing Protocol, 318
 - monospaced fonts, 310
 - preparing text, 312–313
 - pretty, 315
 - proportional fonts, 311
 - queue, 317–319
 - spooling, 317
 - terminate print jobs, 319
 - viewing jobs, 318

- printers
 - buffering output, 178
 - control codes, 311
 - daisy-wheel, 310
 - device names, 179
 - dot-matrix, 310
 - drivers, 312
 - graphical, 311–312
 - impact, 310
 - laser, 311
- /proc*, 22
- processes, 103
 - background, 109–110
 - changing priority, 111–112
 - controlling, 109–112
 - foreground, 110
 - interrupting, 109
 - job control, 110
 - killing, 113–115
 - nice, 105
 - PID (process ID), 104
 - SIGINT, 488
 - signals, 112–116
 - SIGTERM, 488
 - sleeping, 105
 - state, 105
 - stopping, 111
 - viewing, 104–108
 - with top, 107–108
 - zombie, 105
- process substitution, 480–482
- production use, 407
- .profile*, 124
- programmable completion, 81
- PS1 variable, 124, 154
- ps2pdf command, 305
- PS2 variable, 343
- PS4 variable, 410
- ps command, 104–107
- pseudocode, 361, 390
- ps tree command, 117
- PuTTY, 203
- pwd command, 8
- PWD variable, 124
- Python programming language, 323

Q

- quantifiers, in extended regular expressions, 247–249
- quoting, 71–75
 - double quotes, 72
 - escape character, 74
 - missing quotes, 400–401

R

- RAID (Redundant Array of Independent Disks), 173
- raster image processor (RIP), 312
- read command, 378–384, 397, 406
- Readline, 78
- README* (documentation file), 48, 326
- reboot command, 116
- redirection
 - blocked pipe, 493
 - group commands and subshells, 476–477
 - here documents, 348
 - here strings, 383
 - operators
 - &>, 55
 - &>>, 55
 - |, 58
 - <, 57
 - <<, 348
 - <<-, 350
 - <<<, 383
 - <(List), 480–481
 - >, 52
 - >>, 53
 - >(List), 480–481
 - with shell functions, 356–357
 - standard error, 54–56
 - standard input, 56–58
 - standard output, 52–53
- Redundant Array of Independent Disks (RAID), 173
- regular expressions, 60, 235, 283, 369–370, 383
 - back references, 253
 - basic, 280, 293
- relational databases, 270

- relative pathnames, 11–12
- “release early, release often,” 407
- removing duplicate lines in files, 59–60
- REPLY variable, 378, 480
- report generator, 341
- repositories, 165
- reserved words, 401
- reset command, 21
- return command, 355, 366
- reusable, 360
- rev command, 272–273
- RIP (raster image processor), 312
- rlogin command, 198
- rm command, 31–32, 38–39
- Rock Ridge extensions, 188
- roff command, 302
- /root*, 22, 96
- ROT13 encoding, 278–279
- rpm command, 166
- rsync command, 230–233
- rsync remote-update protocol, 230
- Ruby programming language, 323

S

- /sbin*, 22
- scalar variables, 462
- Schilling, Jörg, 188
- scp command, 202–203
- script command, 84
- scripting languages, 42, 323
- sdiff command, 289
- searching
 - files for patterns, 60
 - history, 82–83
- Secure Shell (SSH), 198–202
- sed command, 279–286, 306, 446–447
- select command, 393–396
- set command, 122, 411
- set -e pipefail, 404–405
- setuid, 94, 365
- Seward, Julian, 222
- sftp command, 202–203
- sha256sum tool, 189–190
- shadow-utils package, 101
- shared libraries, 22, 165
- shebang, 335
- shell builtins, 42
- shellcheck program, 405
- shell functions, 42, 353, 356–357, 423
- shell prompts, 4, 11, 83, 95, 109, 123, 153–155, 199, 343
- shell scripts, 334
- SHELL variable, 123
- shift command, 421–422, 426
- shuf command, 468
- shutdown command, 116
- signals, 487–488
- single quotes, 74
- Slackware, 164
- sleep command, 392
- slicing arrays, 469
- Snaps package format, 171
- soft link, 23
- sort command, 59, 259–264
- sort keys, 261
- source code, 164, 172, 257, 321
- source command, 132–133, 336
- source trees, 325
- special parameters, 424, 443
- split command, 289
- SSH (secure shell), 198–202
- ssh command, 199, 227
- .ssh/known_hosts*, 200
- ssh program, 85
- Stallman, Richard, xxvii, xxxi, 129, 245, 323
- standard error, 52
 - disposing of, 55–56
 - redirecting to files, 55
 - with select command, 395
- standard input, 52, 56–58, 349, 378
- standard output, 52
 - appending to files, 53
 - disposing of, 55–56
 - redirecting standard error to, 55
 - redirecting to files, 52
- startup files, 124, 125–126
- stat command, 217
- static linking technique, 171

- storage devices, 173
 - audio CDs, 188
 - CD-ROMs, 187–189
 - creating filesystems, 181–186
 - device names, 178–181
 - disk partitions, 175
 - FAT32, 181
 - flash drives, 176–177
 - floppy disks, 179
 - formatting, 182
 - LVM (Logical Volume Manager), 173
 - mount points, 175–176
 - partitions, 182–185
 - reading and writing directly, 187
 - repairing filesystems, 186
 - unmounting, 177
 - USB flash drives, 187
 - stream editor, 279
 - strings
 - `${parameter:offset}`, 445
 - `${parameter:offset:length}`, 445
 - expressions, 367–368
 - extract portion of, 445
 - length of, 445
 - perform search-and-replace upon, 446
 - remove leading portion of, 445–446
 - remove trailing portion of, 446
 - strings command, 437
 - stubs, 357, 407
 - style (program file), 326
 - subshells, 384, 476–480
 - su command, 95–96
 - sudo command, 96–97
 - Sun Microsystems, 136
 - superuser, 4, 87, 96, 116
 - symbolic links, 23, 33, 37, 39
 - symlink, 23
 - syntax errors, 399
 - syntax highlighting, 334
 - system administrator, 10
- T**
- tables, 270
 - tabular data, 261, 301
 - tac command, 272
 - tail command, 61–62
 - tape archive, 223
 - tarballs, 325
 - tar command, 223–227
 - targets, 328
 - Task Manager, 108
 - Tatham, Simon, 203
 - tbl command, 302, 306
 - tee command, 62
 - Teletype, 104
 - telnet command, 198
 - terminal emulators, 4
 - terminals, 79, 84, 86, 156, 302, 310
 - terminal sessions, 124
 - effect of `.bashrc`, 336
 - environment, 96
 - exiting, 6
 - login shell, 96
 - with remote systems, 85
 - using named pipes, 493
 - virtual, 6
 - TERM variable, 124
 - ternary operator, 454–455
 - test cases, 408
 - test command, 364–369, 402
 - test coverage, 408
 - testing, 407–408
 - T_EX, 302
 - text, 19
 - adjusting line length, 294–295
 - ASCII, 19
 - carriage return, 258
 - comparing, 273–277
 - converting MS-DOS to Unix, 278
 - counting words, 60
 - cutting, 266–268
 - deleting duplicate lines, 264
 - deleting multiple blank lines, 258
 - detecting differences, 274–276
 - displaying common lines, 274
 - DOS format, 258
 - editors, 129
 - EDITOR variable, 123
 - expanding tabs, 268
 - files, 19
 - filtering, 58–59
 - folding, 294–295
 - formatting, 292–301

- tables, 306
 - for typesetters, 302
- joining, 270–272
- linefeed character, 258
- lowercase to uppercase conversion, 277–278
- numbering lines, 258, 292–294
- paginating, 298
- preparing for printing, 312–313
- removing duplicate lines, 59–60
- searching for patterns, 60
- sorting, 59–60, 259–264
- spell-checking, 286
- substituting, 282
 - tabs for spaces, 268
- tab-delimited, 267
- transliterating characters, 277–279
- Unix format, 258
- viewing with less, 19, 58

text editors, 129, 256, 277

- emacs, 129
- gedit, 129, 334
- interactive, 277
- kate, 129, 334
- kedit, 129
- kwrite, 129
- line, 136
- nano, 129, 136
- pico, 129
- syntax highlighting, 338
- vi, 129
- vim, 129, 334, 338
- visual, 136
 - for writing shell scripts, 334

tilde expansion, 68, 72

tload command, 117

/tmp, 22

top command, 107–108

top-down design, 352

Torvalds, Linus, xxvii

touch command, 216, 231, 329, 430

traceroute command, 193–194

tracing, 409–411

transliterating characters, 277–279

traps, 487–489

tr command, 277–279

troff command, 302

true command, 363

TTY (teletype), 104

type command, 42

typesetters, 302, 311

TZ variable, 124

U

Ubuntu, 87, 97, 163, 242, 336

umask command, 93–94, 100

umount command, 177

unalias command, 49

unary operator expected (error message), 402

unary operators, 450

unexpand command, 268

unexpected token, 401

uniq command, 59–60, 264–266

Unix, xxviii

unix2dos command, 258

Unix System V, 314

unset command, 470

until compound command, 396

unzip command, 228

updatedb command, 207

upstream providers, 165

uptime, 352

uptime command, 6, 359

USB flash drives, 173, 187

Usenet, 279

users

- accounts, 86
- changing identity, 95–98
- changing passwords, 100–101
- effective user ID, 94, 104
- home directory, 87
- identity, 86
- password, 87
- setting default permissions, 93
- superuser, 89, 94, 95, 101

USER variable, 123, 124

/usr, 22

/usr/bin, 22

/usr/lib, 22

/usr/local, 22

/usr/local/bin, 22, 330, 336

/usr/local/sbin, 337

/usr/sbin, 22

/usr/share, 22

/usr/share/dict, 239–240
/usr/share/doc, 22, 48
UUID (Universally Unique Identifier), 175

V

validating input, 384–385
/var, 22
variables, 70, 344, 442
 assigning values, 346–347, 451
 constants, 345
 declaring, 344, 346
 environment, 122
 names, 345, 444
/var/log, 22
/var/log/messages, 22, 62, 179
/var/log/syslog, 22, 62, 179
vfat (device type), 175
vi command, 135
vim command, 135, 252, 338
virtual private network (VPN), 201
virtual terminals, 6
visual editors, 136
vmstat command, 117

W

wait command, 491–492
wc command, 60
web pages, 256
wget command, 198
whatis command, 46

What You See Is What You Get
 (WYSIWYG), 310
which command, 43, 71
while compound command, 390–392
wildcards, 26–27, 57, 66, 236, 242
Windows vs. Linux, 63
wodim command, 189
Wordle helper script, 484–487
word-splitting, 73
world (others), 86
WYSIWYG (What You See Is What You
 Get), 310

X

xargs command, 215
xload command, 117
xlogo command, 109
XML (Extensible Markup
 Language), 256
X Window System, 5, 201–202

Y

yanking text, 79–80
yum command, 166

Z

zgrep command, 253
zip command, 228–230
zless command, 46