



VMS Software

RMSDEF V1.0 ECO Kit for VSI OpenVMS IA-64 Release Notes

Release Notes

Publication Date: April 2026

Operating Systems: VSI OpenVMS IA-64 Version 8.4-1H1
VSI OpenVMS IA-64 Version 8.4-2
VSI OpenVMS IA-64 Version 8.4-2L1
VSI OpenVMS IA-64 Version 8.4-2L3

Kit Name: VMS842L3I_RMSDEF-V0100

Table of Contents

1. Kit Name	3
2. Kit Description	3
2.1. Installation Rating	3
2.2. Reboot Requirement	3
2.3. Version(s) of VSI OpenVMS to Which This Kit May Be Applied	3
3. Kits Superseded by This Kit	3
4. Kit Dependencies	3
5. Problems Addressed in This Kit	4
5.1. Allow Attunity Change Data Capture (RMSCDC) to Validate That Its Version Is Compatible with the Current RMS Version	4
6. Problems Addressed From Previous Kits	4
7. Images or Files Replaced	4
8. Installation Instructions	6
8.1. Compressed File	6
8.2. Installation Command	6
9. Copyright	7
10. Disclaimer of Warranty and Limitation of Liability	7
11. Patch ID	7
Appendix A. User-Selectable Control Options and Scripting Considerations	7
A.1. Controlling Kit Behavior for Introductory Questions	7
A.2. Standard Behavior for YES/NO Questions Asked During Kit Installation	8
A.3. Installing a Kit From a Batch Job	9
A.4. Deprecated Logical Names From HPE ECO Kits	9

1. Kit Name

VMS842L3I_RMSDEF-V0100

2. Kit Description

2.1. Installation Rating

INSTALL_2: To be installed by all customers using the following feature(s):

- Attunity Change Data Capture (RMSCDC) product

Note

While this kit is required for proper operation of the RMSCDC product, it is harmless to install this kit on systems which do not use that product.

See Section 4, "Kit Dependencies" for more detailed information on whether you need to install this kit.

This installation rating serves as a guide to which customers should apply this remedial kit.

Reference the [Disclaimer of Warranty and Limitation of Liability Statement](#).

2.2. Reboot Requirement

No reboot is necessary after installation of this kit.

2.3. Version(s) of VSI OpenVMS to Which This Kit May Be Applied

- VSI OpenVMS IA-64 Version 8.4-1H1
- VSI OpenVMS IA-64 Version 8.4-2
- VSI OpenVMS IA-64 Version 8.4-2L1
- VSI OpenVMS IA-64 Version 8.4-2L3

The images and files in this kit apply to any of these VSI OpenVMS versions. Because patch kits are removed by PCSI during upgrades to newer OpenVMS versions, the kit will need to be reinstalled if an upgrade is done from an older listed version to any newer listed version.

3. Kits Superseded by This Kit

None.

4. Kit Dependencies

This kit should be applied to any system that has the Attunity Change Data Capture (RMSCDC) product installed.

The kit will take appropriate action depending on whether certain OpenVMS ECO kits have been installed:

- If the FILESYS V1.0 kit has not been installed, you do not need to install this kit. It is safe to do so anyway, as this kit will just tell you it isn't needed and then exit.
- If your system does have the FILESYS V1.0 kit installed, you should install this kit. It will automatically provide a suitable copy of the RMSDEF.STB file which Attunity RMSCDC requires.
- If you should later add the FILESYS V1.0 kit or any new RMS kit to your system, you should re-install this kit afterwards. It is perfectly safe to install this kit multiple times as needed, without needing to ever use PRODUCT UNDO PATCH.

VSI strongly recommends that you upgrade to the latest RMS ECO kit for your version of OpenVMS. For V8.4-1H1 and V8.4-2, the latest kit is RMS V3.2. For V8.4-2L1 and V8.4-2L3, it is RMS V6.1.

5. Problems Addressed in This Kit

5.1. Allow Attunity Change Data Capture (RMSCDC) to Validate That Its Version Is Compatible with the Current RMS Version

Problem Description

The RMSCDC product intercepts RMS system calls and duplicates the data being changed for other target applications, such as a SQL database server. The definitions of RMS data structures and internal code addresses are determined when RMSCDC is initialized to start. This includes the definitions in RMSDEF.STB. Some changes of interest have occurred to that file over time, but not included in previous FILESYS or RMS ECO kits.

With this patch kit installed, the RMSDEF.STB content should correctly match the version of RMS.EXE on the system.

Images and/or Files Affected

[SYS\$LDR]RMSDEF.STB

VSI Case Identifier

Netsuite NS6875

Release Version of VSI OpenVMS That Will Contain This Change

Next VSI OpenVMS IA-64 release after V8.4-2L3

6. Problems Addressed From Previous Kits

None

7. Images or Files Replaced

The RMSDEF.STB file installed by this kit is dependent on which ECO kits were previously installed on this system. It is safe to re-install this kit (with no UNDO PATCH required) if any relevant FILESYS or RMS ECO kits are installed later.

For all VSI OpenVMS IA-64 versions:

If FILESYS V1.0 is installed but no later RMS kit is installed:

[SYS\$LDR]RMSDEF.STB

File creation date and time	21-SEP-2024 14:51:45.68
Checksum (MD5)	CFEBC6CC7D66B4663E3116196EE91E9E

For VSI OpenVMS V8.4-1H1 or V8.4-2:

If RMS V3.1 or V3.2 is installed:

[SYS\$LDR]RMSDEF.STB

File creation date and time	24-JAN-2026 11:56:19.49
Checksum (MD5)	5B8B5EA69C41DBC4245E499A4404075B

For VSI OpenVMS V8.4-2L1 or V8.4-2L3:

If RMS V5.0, V6.0, or V6.1 is installed:

[SYS\$LDR]RMSDEF.STB

File creation date and time	24-JAN-2026 10:42:07.46
Checksum (MD5)	20730709D2C8097274606BE610422FED

Note

VMS Software, Inc. will only distribute kits in signed form. There is no need for most customers to compare file checksums for security or kit integrity reasons.

However, some sites may require such checking even when using signed kits. The image or file checksums (in MD5 format) are supplied to provide comparisons to the extracted final kit files. To find a file checksum, use:

```
$ CHECKSUM/ALGORITHM=MD5 filename
$ SHOW SYMBOL CHECKSUM$CHECKSUM
```

Note

Because a file or image may be replaced by multiple ECO kits over time, a PCSI generation number is used to ensure that the latest version of the file or image is preserved on your system during **PRODUCT INSTALL** of an ECO kit. Should a particular kit installation discover a newer version of a file or image in place on the system disk, the following message will be displayed:

```
%PCSI-I-RETAIN, file filename will not be replaced because file from kit
has lower generation number
```

This is a normal occurrence depending on the order of kit installation. The correct version of the file or image will remain on the system after the current kit installation. The %PCSI-I-RETAIN message is informational only and does not indicate a problem.

8. Installation Instructions

8.1. Compressed File

This kit is provided for download within a ZIP archive container file.

The kit files may be extracted on any system with UNZIP and copied to your OpenVMS system, or extracted on your OpenVMS system directly.

Assuming you have created an UNZIP symbol to invoke the UNZIP image, you can invoke UNZIP to unpack the kit on OpenVMS using the command:

```
$ UNZIP VMS842L3I_RMSDEF-V0100
```

This will extract the installable PCSI product kit file and its associated signed manifest (_VNC file), used for kit validation during **PRODUCT** commands.

VSI strongly recommends always using the manifest to validate the kit content during any **PRODUCT** commands. This will occur automatically if the files are both contained in the same directory.

UNZIP Tool Availability

Most customers likely have already installed a set of ZIP and UNZIP tools on their VSI OpenVMS systems. Should you need these tools, a set of the Info-ZIP freeware ZIP and UNZIP tools for VSI OpenVMS is available for download on the web at this address: <https://vmssoftware.com/community/freeware/>.

8.2. Installation Command

Install this kit with the POLYCENTER Software Installation Utility by logging into the SYSTEM account and typing the following command at the DCL prompt:

```
$ PRODUCT INSTALL VMS842L3I_RMSDEF [/SOURCE=location_of_kit]
```

The kit location may be a tape drive, CD/DVD, or a disk directory that contains the kit. The **/SOURCE** qualifier is not needed if the **PRODUCT INSTALL** command is executed from the same directory as the kit location.

This kit requires the use of **/RECOVERY_MODE** and **/SAVE_RECOVERY_DATA** and will automatically set them; they do not need to be present on the command line.

The release notes for any kit may be extracted prior to kit installation using the **PRODUCT EXTRACT RELEASE_NOTES** command.

User-selectable options for installation behavior and scripting are available in this kit, refer to *Appendix A, "User-Selectable Control Options and Scripting Considerations"* for further details.

Additional help on installing PCSI kits can be found by typing **HELP PRODUCT INSTALL** at the system prompt.

9. Copyright

VMS SOFTWARE, INC. CONFIDENTIAL. This software is confidential proprietary software licensed by VMS Software, Inc., and is not authorized to be used, duplicated, or disclosed to anyone without the prior written permission of VMS Software, Inc.

Copyright 2026 VMS Software, Inc.

10. Disclaimer of Warranty and Limitation of Liability

This patch is provided as is, without warranty of any kind. All express or implied conditions, representations, and warranties, including any implied warranty of merchantability, fitness for particular purpose, or non-infringement, are hereby excluded to the extent permitted by applicable law. In no event will VMS Software, Inc. be liable for any lost revenue or profit, or for special, indirect, consequential, incidental or punitive damages, however caused and regardless of the theory of liability, with respect to any patch made available here or to the use of such patch.

11. Patch ID

I64VMS-VMS842L3I_RMSDEF-V0100--4

Note

The terms "ECO kit" and "patch kit" may be used interchangeably in this document. This also applies for other VSI OpenVMS documentation when describing PCSI kits that provide remedial updates to a particular product.

A. User-Selectable Control Options and Scripting Considerations

A.1. Controlling Kit Behavior for Introductory Questions

This kit provides user-selectable control options for kit dialogue interaction and automated scripting capability as described here in this appendix.

The general form of a VSI OpenVMS ECO kit, when using **PRODUCT INSTALL**, consists of three initial questions regarding these topics:

1. System disk backup: A reminder that VSI recommends backing up the system disk before installing updates, followed by a `Do you want to continue? YES/NO` question, default is YES.
2. Reboot requirement: A summary of whether the kit being installed requires a system reboot, followed by a `Do you want to continue? YES/NO` question, default is YES.
3. Archival of updated files: A description of saving an "_OLD" copy of each image or file updated by the kit, followed by a `Do you want to save "_OLD" copies of replaced files? YES/NO` question, default is NO.

Other questions may be asked later, depending on the target disk or system environment or other kit-specific requirements.

Note

An initial `Do you want to continue?` question may be asked directly by the PCSI utility during any **PRODUCT** command—this has nothing to do with the kit being used. To avoid that question, you must supply sufficient detail to uniquely identify the product you wish to use and specify **/OPTIONS=NOCONFIRM** on the **PRODUCT** command.

Control options are available to customize the dialogue for the initial three kit questions. The controls are logical names, which may be defined in the process logical name table with a value of YES or NO.

To modify the behavior of a VSI OpenVMS ECO kit regarding the initial questions, define one or more of the following logical names before issuing the **PRODUCT INSTALL** command.

- To skip one or more of the questions, define the corresponding logical name shown here to YES:

SKIP\$BACKUP	Skips system backup awareness question.
SKIP\$REBOOT	Skips system reboot awareness question.
SKIP\$ARCHIVE_OLD	Skips question about saving "_OLD" files. This will take the default, which is NO.
SKIP\$INTRO	Skips all three of the above questions.

- To specifically override the default for saving "_OLD" files, define this logical name to YES or NO:

VSIKIT\$ARCHIVE_OLD	Sets an answer for saving "_OLD" files behavior. This will skip the archive "_OLD" files question regardless of the above SKIP\$* logical names.
---------------------	--

- Two additional logical names may be defined as YES to modify the amount of explanatory text displayed for each question:

VSIKIT\$VERBOSE	Shows all explanatory text for questions.
VSIKIT\$BRIEF	Skips some general details in the explanations.

The default if neither name is defined is VERBOSE. If both names are defined to YES, VERBOSE overrides BRIEF. The BRIEF form is displayed for any questions that are skipped.

For example, to skip all three questions but save an archive "_OLD" copy of each replaced file:

```
$ DEFINE VSIKIT$ARCHIVE_OLD YES
$ DEFINE SKIP$INTRO YES
$ PRODUCT INSTALL kitname
```

A.2. Standard Behavior for YES/NO Questions Asked During Kit Installation

Any YES/NO questions asked during kit installation now follow these rules:

1. **Ctrl/Y** issued while a question is being asked will force the current **PRODUCT** operation to terminate. This is completely safe to do while the initial three questions are being asked during **PRODUCT INSTALL** as no changes have yet been made to the target disk.
2. Some questions may ignore **Ctrl/Y** and ask for a specific answer (for example, if aborting the current operation may have side effects for the system). Additionally, note the following:
 - PCSI may trap **Ctrl/Y** directly for some **PRODUCT** operations.
 - **Ctrl/Y** may be disabled during some sensitive kit processing.
3. The default YES/NO answer is automatically chosen if a kit is installed from a batch job, unless explicitly overridden by a logical name that provides the particular value, such as **VSİKİT\$ARCHIVE_OLD**.

A.3. Installing a Kit From a Batch Job

To install a kit from a batch job, you will need to fully qualify the kit name so PCSI will have enough information to select the kit without asking for confirmation. For example, to install this kit:

```
$ PRODUCT INSTALL VMS842L3I_RMSDEF/VERSION=V1.0/OPTIONS=NOCONFIRM
```

If the kit is located in a directory other than the current default directory, you will also need to add the qualifier:

```
/SOURCE=location_of_the_kit
```

For a batch job, any YES/NO question will automatically select the default answer. Use the control logical names explained above to modify the behavior if necessary. For the system disk backup and reboot questions, the batch behavior is identical to the default. For the save "_OLD" files question, define the **VSİKİT\$ARCHIVE_OLD** logical name to YES if you want to save copies of the files, since the batch default is NO.

A.4. Deprecated Logical Names From HPE ECO Kits

The three names listed below were used by older VSI OpenVMS ECO kits for compatibility with HPE ECO kit behavior. These old names continue to function, but VSI encourages you to modify any scripts you may have to use the new names shown instead:

Old Name	New Name
NO_ASK\$BACKUP	SKIP\$BACKUP
NO_ASK\$REBOOT	SKIP\$REBOOT
ARCHIVE_OLD	VSİKİT\$ARCHIVE_OLD