



VMS Software

VSI Git V2.44-1C for OpenVMS

Release Notes

Publication Date: March 2026

Operating Systems: VSI OpenVMS IA-64 Version 8.4-2L1 or higher
VSI OpenVMS x86-64 Version 9.2-3 or higher

Software Version: VSI Git Version 2.44-1C for OpenVMS

VSI Git V2.44-1C for OpenVMS Release Notes



Copyright © 2026 VMS Software, Inc. (VSI), Boston, Massachusetts, USA

Legal Notice

Confidential computer software. Valid license from VSI required for possession, use or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.

The information contained herein is subject to change without notice. The only warranties for VSI products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. VSI shall not be liable for technical or editorial errors or omissions contained herein.

All other trademarks and registered trademarks mentioned in this document are the property of their respective holders.

Table of Contents

1. Introduction	4
2. What's New in This Release	4
3. Requirements	4
3.1. Software Requirements	4
3.2. Before You Begin	5
4. Related Documentation	5
5. Installing the Kit	5
6. Post-Installation Steps	6
7. Logical Names	6
8. Supported Commands	7
9. Known Issues and Limitations	7

1. Introduction

Git (<https://git-scm.com/>) is a popular open-source distributed version control system.

VSI Git for OpenVMS is a port of Git for the VSI OpenVMS operating environment. This port enables OpenVMS users to utilize Git source code management capabilities, which should facilitate distributed development, code versioning, and collaboration across teams.

VSI Git for OpenVMS is released under the GNU General Public License version 2 (GPLv2).

This version of VSI Git for OpenVMS is based on the Portable Git distribution available at <https://github.com/git/git/releases/tag/v2.44.0>.

2. What's New in This Release

VSI Git V2.44-1C for OpenVMS features the following enhancements and bug fixes:

- VSI Git now supports hooks.
- A conflict that occurred when a folder and a logical entity had the same name has been fixed. The system now correctly prioritizes existing folders over logical entities.
- An issue that caused the `git rebase --abort` command to fail with the ACCVIO error has been fixed.

3. Requirements

3.1. Software Requirements

VSI Git V2.44-1C for OpenVMS has been compiled and built using the operating system and compiler versions listed below. VSI does not recommend installing and using this kit on older versions.

- VSI OpenVMS IA-64 V8.4-2L1 or higher; note the following additional requirements:
 - On VSI OpenVMS IA-64 V8.4-2L1, the ECO VMS842L1I_RTL-V0900 kit or later is required.
 - On VSI OpenVMS IA-64 V8.4-2L3, the ECO VMS842L3I_RTL-V0900 kit or later is required.

Note

The RTL ECO kits mentioned above require their respective DPML V0200 ECO to be installed first.

- VSI OpenVMS x86-64 V9.2-3 or higher
- ODS-5 file system
- VSI SSL3 V3.0-18 or higher
- VSI Vim for OpenVMS

Important

You do not need to install VSI Vim if you are using GNV. VSI Vim is a part of GNV and is located in the GNV/BIN directory.

The file VIM.EXE must be assigned the Owner:RWED privilege.

- GNV (only if you will be using Git hooks)

3.2. Before You Begin

Before you start using VSI Git for OpenVMS, consider the following:

- Before running Git commands that modify the working directory or history (such as **git stash**, **git reset**, **git merge**, or **git checkout**), ensure that no more than one version of each file exists in the working directory. If necessary, remove the older versions via the following command:

```
$ PURGE
```

- To ensure that the output of the **git branch** command is displayed correctly, enter the following command before using Git:

```
$ SET TERMINAL/INQUIRE
```

- To accept the extended format names, enter the following command:

```
$ SET PROCESS/PARSE_STYLE=EXTENDED
```

4. Related Documentation

Before installing and using VSI Git for OpenVMS, VSI recommends that you read the official documentation for open-source Git in order to better understand the software.

5. Installing the Kit

VSI Git V2.44-1C for OpenVMS is provided as an OpenVMS PCSI kit that a suitably privileged user can install by running the following command:

```
$ PRODUCT INSTALL GIT
```

Warning

Do not use the **/DESTINATION** qualifier with the **PRODUCT INSTALL** command when installing VSI Git for OpenVMS x86-64 to specify an alternative (non-default) installation location. Git components are bundled with the VSI OpenVMS for x86-64 operating system, which imposes specific requirements in terms of location of these components and all associated configuration files.

Your installation output will look similar to the following:

```
The following product has been selected:
    VSI I64VMS GIT V2.44-1C                Layered Product [Installed]
```

Do you want to continue? [YES]

Configuration phase starting ...

You will be asked to choose options, if any, for each selected product and for any products that may be installed to satisfy software dependency requirements.

Configuring VSI I64VMS GIT V2.44-1C: VSI GIT

(c) Copyright 2026 VMS Software, Inc.

VSI GIT is released under a BSD license, or a license more free than that.

* This product does not have any configuration options.

Execution phase starting ...

The following product will be installed to destination:

VSI I64VMS GIT V2.44-1C DISK\$IA64V842L1S:[VMS\$COMMON.]

Portion done: 0%...10%...20%...30%...40%...50%...60%...70%...80%...90%...100%

The following product has been installed:

VSI I64VMS GIT V2.44-1C Layered Product

VSI I64VMS GIT V2.44-1C: VSI GIT

Post installation tasks required to run VSI GIT.

To define the necessary VSI GIT symbols and set up the environment for using Git commands, the user must execute the following script:

```
$ @SYS$STARTUP:GIT$STARTUP.COM
```

or to ensure VSI GIT starts automatically, request the system administrator to add the following line to SYS\$MANAGER:SYLOGIN.COM:

```
$ GITSTART := SYS$STARTUP:GIT$STARTUP.COM
$ IF f$search("'GITSTART'") .NES. "" THEN @'GITSTART'
```

For more information, refer to this associated document:
- <https://vsi.atlassian.net/wiki/spaces/GIT/overview>

\$

6. Post-Installation Steps

After installing VSI Git for OpenVMS, you must define and assign several logical names and symbols that are required to use the product. To do that automatically, enter the following command:

```
$ @SYS$STARTUP:GIT$STARTUP
```

7. Logical Names

VSI Git for OpenVMS uses the following logical names:

Logical Name	Description
GIT\$DISABLE_CASE_SENSITIVE_MODE	Disables the case-sensitive mode.
VIM\$ROOT	Vim installation directory.

Logical Name	Description
GIT\$ROOT	Git installation directory.

8. Supported Commands

VSI Git V2.44-1C for OpenVMS supports the following Git commands:

githooks	git add	git apply	git branch
git bisect	git blame	git status	git checkout
git cherry	git clone	git commit	git config
git describe	git diff	git fetch	git grep
git help	git init	git log	git merge
git mv	git notes	git pull	git push
git range	git rebase	git reset	git restore
git revert	git rm	git shortlog	git show
git stash	git switch	git tag	git worktree

VSI OpenVMS supports the **HELP GIT** command, which brings up a list of supported Git commands and a list of issues and limitations applicable to the current release of VSI Git for OpenVMS.

9. Known Issues and Limitations

- An RPC error may occur when executing Git commands, typically due to network issues, working with large files, or limitations with Git configurations. The error message may look similar to the following:

```
error: RPC failed; curl 18 HTTP/2 stream 1 was not closed cleanly before end
of
the underlying connection
error: 386 bytes of body are still expected
fatal: early EOFpected disconnect while reading sideband packet
```

To resolve this issue, you can utilize one of the following workarounds:

- Switch to SSH authentication (for example, **git@**).
- If the issue occurred when cloning a git repository, perform a shallow clone by using the **--depth** option with the **git clone** command.
- When downgrading VSI Git for OpenVMS from V2.44-1C to V2.44-1A, you must first uninstall the current version before attempting to install the older version.